



KIA

C334AC 550
RUS

C334AC 550.
RUS























KIA MOTORS CORPORATION
 KNAB3512BJT162649
 1400kg
 kg
 1-740kg
 2-720kg
 기아자동차 (주) 외장
 도장 PAINT TRIM
 차축 AXLE ABP CGK
 형식 번호 MODEL NO
 형식 승인년월일
 MODEL APPD DATE

G30

Cold tire inflation pressure: KPa(bar)(psi)
 Presión de inflado por neumático frío: KPa(bar)(psi)
 Prescriptions d'inflation à froid: KPa(bar)(psi)
 Prescriptions d'inflation à froid: KPa(bar)(psi)
 Prescriptions d'inflation à froid: KPa(bar)(psi)
 Prescriptions d'inflation à froid: KPa(bar)(psi)
 Prescriptions d'inflation à froid: KPa(bar)(psi)

155/80R13 75T	2300/3/33	2100/1/30
175/65R14 85T	2300/3/33	2500/5/36
185/55R15 65H	2300/3/33	2500/5/36
195/45R16 64H	2300/3/33	2500/5/36

T115/70D15 55M















C334AC 550
RUS

C334AC 550
RUS



C7E1A
778A

05110000

15597400000



334AC 550
RUS





























KIA

C334AC 550
RUS







